



ANDHRA PRADESH STATE ROAD TRANSPORT CORPORATION

No. : AME(Mgr-IT)/VTPIS(1)/2016-IT

Office of the VC&MD,
RTC HOUSE, Dt.30.09.2016.

To
All Dy.CMEs,
A.P.S.R.T.C.

Sub: VT&PIS - Fitment of Vehicle Tracking Units (VMUs) to the new buses allotted to depots - Reg.

Ref: 1.AME(Mgr-IT)/VTS(9)/2016-IT, Dt.09.09.2016.
2.This office letter no. even dated.28.09.2016.

-oOo-

Vide reference 1st cited, Regional Managers were requested to take necessary action for the removal of Vehicle Tracking Units (VMUs) from stabled buses and withdrawn PH buses and kept in safe custody of Depot Stores. These VMUs shall be utilised for new RTC/PH Buses received within the Depot or transferred to needy depots of the Region duly informing to Dy.CME-2(Comp).

Vide reference 2nd cited, Regional Managers were requested to take necessary action for the fitment of removed VMUs in all new RTC/PH buses received. Recently 165 RTC new buses and 33 PH buses received. Out of 198 new buses only 64 buses were fitted with VMUs by M/s Dreamstep Software Innovations Pvt. Ltd.

Out of 488 stabled buses only 295 VMUs are removed. Out of 3 PH buses withdrawn 2 VMUs are removed. Statement of removed VMUs and fitted VMUs to new buses is attached.

The VMUs of the stabled buses and PH buses withdrawn shall be removed and kept in the safe custody of Depot stores duly keeping each VMU along with cable connector in thick polythene cover. SIM should be kept in VMU only.Removed VMUs details shall be maintained in separate Register. These removed VMUs shall be fitted immediately to new RTC/PH buses in consultation M/s Dreamstep Software Innovations Pvt. Ltd or transferred to needy depots of the Region.

The details of removed VMUs and fitted VMUs shall be informed in the following format to Dy.CME-2(Comp) alternate Monday.

Depot wise VMUs removal/fitment for new buses information as on _____									
S.No	Depot	RTC Buses		Hire Buses		Stabled for scrap		PHB Withdrawn	
		Received	VMUs fitted	Received	VMUs fitted	Stabled	VMUs removed	With drawn	VMUs removed

Hence, all the Dy.CMEs are once again requested to take necessary action for the fitment of removed VMUs from stabled/withdrawn PH buses in all new RTC/PH buses received duly informing above format data to Dy.CME-2(Comp) alternate Monday without fail.

EXECUTIVE DIRECTOR(E&IT)

Copy to the Executive Directors VJA,VZM,NLR,KDP Zones for infn. please
Copy to the CME(O) for necessary action.
Copy to the Regional Managers for necessary action.
Copy to the Dy.CTMs for information.