

ANDHRA PRADESH STATE ROAD TRANSPORT CORPORATION

O/o the V C & M D,
Bus Bhavan, Hyderabad.
Dt.12.2.2013.



Lr.No.STO(DP)/FLOWCHARTS/2012-IT.

To
All Regional Managers,
A.P.S.R.T.C.

Sub : FLOW CHARTS : Non updatation of MTD-141s data at depots - Reg.

Ref :. 1. VC&MD Lr.No. even dt. 9.10.2012.
2. Joint Operations & IT Circular No.50/2012, dt. 17.12.2012.

-oOo-

As informed to you earlier Vide Circular cited at 2 above, VC&MD has instructed all the Regional Managers to ensure feeding of the MTD-141s data operated by the individual Depots at the Depot itself duly utilizing the Systems and internet provided for Depot Computerization Project (DCP). It was also informed in the Circular the benefits that can be derived from feeding the MTD-141s data in website.

It was also advised to ensure completion of feeding of all MTD-141s of all Depots of the Region positively by 31.12.2012 and send compliance report to the undersigned.

The MTD-141s data can also be utilized for testing and implementation of CIS project. It is also proposed to print the Trip timings in the 'STAR' document at all the Depots once the timings are updated accurately.

Except the Regional Manager of Visakapatnam and Karimnagar, and Depot Managers of West Godavari Region, Vinukonda Depot and some Depot Managers of GHZ, other Regional Managers have not sent the compliance report so far.

Therefore, once again all Regional Managers are requested to take necessary action and instruct the concerned Dy.CTMs and Depot Managers to update the MTD-141s status in 'apsrtcinfo.com' immediately without fail positively by 19th Feb 2013, and send the compliance by 23rd Feb 2013 to the undersigned, so as to appraise the latest status to V C & M D on priority.

MATTER MAY BE TREATED AS MOST IMPORTANT PLEASE.


EXECUTIVE DIRECTOR (E & IT)

Copy to ED(O & MIS) for favour of inf. pl.
Copy to All Executive Directors of Zones for inf.
Copy to CTM for inf.
Copy to All Dy.CTMs of the Coporation for inf. and n/a.
Copy to All Depot Managers for inf. and n/a.